

An	Waste Treatment and	Care Facilities / Common Bio-medical Disposal Facility (CBWTF)
CE	B ID: 110559 Health Care Facility	/ CBWTF Name: Anand Hospital & RC Indore
	Year	2021
2	Type of Health Care Facility	Bedded Hospital Priv ➤
3	Number of Beds	48
4	License Number and Date of Expiry of License	110559 30/11/2C
5	Do you have Captive Treatment Facility?	○Yes ® No
Qu	antity of Waste Generated or Dispose	ed in Kg per annum (on monthly average basis)
6	Yellow Category	1014
7	Red Category	980.40
8	White Category	96.60
9	Blue Category	1553.20
10	General Solid Waste	11880
De	tails of the Storage, Treatment, Tran	sportation, Processing and Disposal Facility
11	Details of the on-site storage facility	WE HAVE DEDICATED BIO-MEDICAL WASTE SEGREGATION AREA, WHICH IS
12	Treatment Facility	DIS,DNC,NEE
13	Quantity of Recyclable Waste sold to Authorized Recyclers after Treatment (in kg / Year)	0.000 年, 京,
14	Number of Vehicles used for Collection and Transportation of Biomedical Waste	03
1:	Details of Incineration Ash and ETH Sludge generated and disposed during the Treatment of waste (in Kg / Year)	68 Reserve
10	Name of the Common Bio-Medical Waste Treatment Facility Operator	Hoswin Incinerator Pvt. Itd

	through which waste are disposed of	
17	Do you have bio-medical waste management committee? If yes, minutes of the meetings held during the reporting period	MEETING MINUTES ARE ● Yes ○ No MEETING MINUTES ARE ATTACHED.
Deta	nils of Trainings conducted on Bio M	edical Waste Management
18	Number of Trainings conducted on BMW Management	12
19	Number of Personnel Trained	85
20	Number of Personnel Trained at the time of Induction	
21	Number of Personnel not undergone any Training so far	2
22	Whether standard manual for Training is available?	○Yes No
23	Any other information	NOT ANY ONE
Det	tails of the accident occurred during	the year
24	Number of Accident occurred	00
25	Number of the persons affected	00
26	Remedial Action taken (details if any)	NA
27	Any Fatality Occurred, details	NO
28	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Yes ONO YES, THERE IS NO
29	Details of Continuous Online Emission Monitoring systems installed	NA HOSA
30	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year	O NDOR
31	Is the disinfection method or sterilization meeting the log 4 standards? How many times you	● Yes ○ No THERE IS NO SUC

	have not met the standards in a year ?	
32	Any other relevant information	NA .
		Upriate
		Upcate

Certified that the above report is for the period from:

Date: - 15/02/2022 Place: - Indose. Name & Signery HEAD HCF

Dr. ARUN CHOPRA.

(MEDILAL DIRECTOR)